


Baldachin fi-60mm

Ref. C24540



- Einfache Montage
- Kleine Abmessungen

ZUSÄTZLICHE INFORMATION

- kostka przyłączeniowa w zestawie

TECHNISCHE SPEZIFIKATIONEN

Material	Stahl
IP-Schutzart	20
Höhe	30 mm
Durchmesser	60 mm

Farbe	Ref
<input type="checkbox"/> grau lackiert	C24540L01
<input checked="" type="checkbox"/> schwarz lackiert	C24540L07
<input type="checkbox"/> weiß lackiert	C24540L10


BEISPIELPROJEKTE




VERWANDTE PROFILE > ARCHITEKTONISCH



3035
A18039
Ref. arch 18039



4050
A18050
Ref. arch 18050



4050-W
A18051
Ref. arch 18051




REGULOR
A18068
Ref. arch B468+43




LIPOD
A05554
Ref. arch B5554



GIZA
A05556
Ref. arch B5556



3035-O
A08441
Ref. arch B8441



JAZ
A08547
Ref. arch B8547




OPK-4
A00370
Ref. arch C0370



GIZA-LL
A00758
Ref. arch C0758



JAZ-DUO
A00788
Ref. arch C0788



GIZA-DUO-LL
A02162
Ref. arch C2162



GLAZA-LL
A02627
Ref. arch C2627




GLAZA-DUO
A03059
Ref. arch C3059

VERWANDTE PROFILE > FÜR HAUPTBELEUCHTUNG




DES
A18030
Ref. arch 18030



GLADES
A18036
Ref. arch 18036



MOD-50
A18047
Ref. arch 18047




MOD-100
A18049A
Ref. arch 18049



SEPOD
A06593
Ref. arch B6593

Baldachin fi-60mm

Ref. C24540



LIPOD-50
A02609
Ref. arch C2609

VERWANDTE PROFILE > MINIMALISTISCH



PIKO
A08288
Ref. arch B8288



PIKO-O
A01167
Ref. arch C1167



PIKO-ZM
A01168
Ref. arch C1168

VERWANDTE PROFILE > UNIVERSAL



MICRO-ALU
A01888
Ref. arch B1888



TAMI
A05390
Ref. arch B5390



OLEK
A08505
Ref. arch B8505



PDS-H
A0920
Ref. arch B9204



SILER
A09325
Ref. arch B9325




MICRO-H
A00599
Ref. arch C0599



PDS-4-PLUS
A01263
Ref. arch C1263



PDS-ZMG
A01418
Ref. arch C1418



MICRO-HG
A01419
Ref. arch C1419



TAPO
A01919
Ref. arch C1919

Baldachin fi-60mm

Ref. C24540




PDS-ZM-PLUS
A02056
Ref. arch C2056



MICRO-PLUS
A02966
Ref. arch C2966

VERWANDTE SYSTEME > FÜR ALLGEMEINBELEUCHUNG



MOD-100
18049



MOD-50
18047